





メタンの経年変化

目録	2017/7/25 観	2017/8/22 観	2017/9/21 観	2017/10/17 観(推)	2017/11/11 観	2017/12/15 観	2018/1/19 観	2018/2/16 観	2018/3/20 観	2018/4/18 観	2018/5/15 観	2018/6/1 観	2018/7/2 観	2018/8/3 観	2018/9/14 観	2018/10/11 観	2018/11/6 観	2018/12/14 観	2019/1/18 観	2019/2/15 観	2019/3/1 観	2019/4/15 観	2019/5/15 観	2019/6/12 観	2019/9/9 観	2019/12/4 観	2020/3/2 観	2020/4/10 観	2020/9/10 観	2020/12/10 観	2021/3/12 観	2021/6/7 観
ガス換孔1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔10	11.00	0.00	14.00	20.00	14.00	22.00	16.00	10.00	9.00	7.00	6.75	12.00	11.00	0.00	0.00	14.00	22.00	1.00	0.00	13.00	12.00	9.00	1.00	0.00	30.00	14.00	1.00	3.00	11.00	4.00	3.00	
ガス換孔11	2.75	0.00	15.00	16.00	18.00	22.00	15.00	12.00	12.00	15.00	0.00	0.00	12.00	0.00	0.00	17.00	22.00	12.00	0.00	16.00	12.00	11.00	6.00	0.00	12.00	15.00	7.00	7.00	11.00	7.00	6.00	
ガス換孔12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
10日間雨量	4.0	82.0	79.5	56.5	4.0	9.5	44.5	23.5	54.5	12.0	97.0	8.5	129.5	24.5	55.0	15.5	3.5	19.5	5.5	13.0				26.0	47.5	45.0	35.5	0.0	57.0	0.0	38.0	



硫化水素の経年変化

日時	2017/7/25 観	2017/8/22 観	2017/9/21 観	2017/10/17 観	2017/11/17 観	2017/12/15 観	2018/1/19 観	2018/2/16 観	2018/3/20 観	2018/4/18 観	2018/5/15 観	2018/6/1 観	2018/7/2 観	2018/8/3 観	2018/9/14 観	2018/10/11 観	2018/11/9 観	2018/12/14 観	2019/1/18 観	2019/2/15 観	2019/3/1 観	2019/4/15 観	2019/5/15 観	2019/6/12 観	2019/9/9 観	2019/12/4 観	2020/3/2 観	2020/6/10 観	2020/9/10 観	2020/12/10 観	2021/3/2 観	2021/6/2 観
ガス検孔1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス検孔2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス検孔3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス検孔4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス検孔5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス検孔6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス検孔7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス検孔8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス検孔9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス検孔10	0.00	0.00	1.10	0.30	0.00	0.00	0.00	1.10	1.30	0.00	0.00	1.40	0.00	0.00	0.00	0.00	9.80	4.70	0.00	0.00	2.70	2.80	4.20	2.50	0.00	1.80	1.00	2.80	0.00	1.80	0.30	
ガス検孔11	0.00	0.00	8.80	7.80	4.80	3.80	0.00	0.00	4.80	3.80	0.00	7.50	0.00	0.00	0.00	2.50	0.00	11.20	0.00	0.00	1.80	3.10	13.20	7.80	0.00	4.10	4.40	4.00	0.80	5.30	0.00	
ガス検孔12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス検孔13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス検孔14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス検孔15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
10日間雨量	4.00	82.00	79.50	56.90	4.00	9.90	44.90	23.90	54.90	12.00	97.00	8.50	129.50	26.90	55.00	15.90	3.50	19.90	5.50	13.00				26.00	47.50	45.00	35.50	0.00	97.00	0.00	28.00	29.5



● 廃棄物層内温度測定結果

深度	廃一No.1観測井内温度(°C)								
	2015/7/21	2015/8/18	2015/9/14	2015/10/15	2015/12/21	2016/3/17	2016/6/17	2016/9/23	2016/12/16
	工事前	工事中	工事中	工事中	工事(中断)中	工事中	工事中	工事中	工事中
外気温	29.4	29.8	25.2	23.6	17.4	21.9	25.3	33.3	15.6
0.0m	29.4	29.8	25.2	23.6	17.4	21.9	25.3	33.3	15.6
1.0m	29.3	30.0	25.2	23.9	18.6	22.2	25.3	33.3	15.6
2.0m	29.3	30.0	25.2	23.9	18.6	22.2	25.3	33.4	15.6
3.0m	29.3	29.9	25.2	23.9	18.7	22.2	25.4	33.4	15.6
4.0m	29.3	29.9	25.2	23.9	18.8	22.2	25.4	33.3	15.6
4.5m	29.3	29.8	25.2	23.9	18.6	22.2	25.4	33.3	15.6

深度	廃一No.1観測井内温度(°C)								
	2017/3/17	2017/6/14	2017/12/15	2018/6/1	2018/12/14	2019/6/12	2019/9/9	2019/12/4	2020/3/2
	工事中	工事中	工事後	工事後	工事後	工事後	工事後	工事後	工事後
外気温	19.4	27.9	11.8	25.9	12.1	30.9	33.1	12.5	14.4
0.0m	19.4	27.9	11.8	25.9	12.1	30.9	33.1	12.5	14.4
1.0m	19.2	27.9	11.5	25.9	13.1	30.9	33.1	12.4	14.6
2.0m	19.2	27.9	11.5	25.6	14.2	30.9	33.1	12.4	15.0
3.0m	19.4	28.0	11.5	25.6	15.2	30.9	33.1	12.7	16.0
4.0m	20.1	28.0	11.5	25.6	16.2	30.8	33.1	12.7	17.3
4.5m	20.1	28.0	11.5	25.6	16.5	30.8	33.1	12.9	18.3

深度	廃一No.1観測井内温度(°C)				
	2020/6/10	2020/9/10	2020/12/10	2021/3/2	2021/6/2
	工事後	工事後	工事後	工事後	工事後
外気温	29.0	28.8	16.6	13.1	28.1
0.0m	29.0	28.8	16.6	13.1	28.1
1.0m	27.8	28.7	16.8	13.3	27.4
2.0m	26.5	28.1	17.2	13.5	24.9
3.0m	25.6	27.3	19.1	14.8	23.7
4.0m	23.4	27.3	20.7	15.8	23.4
4.5m	21.9	27.3	20.7	16.2	23.2

