



メタンの経年変化

目録	2017/7/25 観	2017/8/22 観	2017/9/21 観	2017/10/17 観	2017/11/11 観	2017/12/15 観	2018/1/19 観	2018/2/16 観	2018/3/20 観	2018/4/18 観	2018/5/15 観	2018/6/1 観	2018/7/2 観	2018/8/3 観	2018/9/14 観	2018/10/11 観	2018/11/6 観	2018/12/14 観	2019/1/18 観	2019/2/15 観	2019/3/1 観	2019/4/15 観	2019/5/15 観	2019/6/12 観	2019/7/9 観	2019/12/4 観	2020/2/2 観	2020/4/10 観	2020/9/10 観	2020/12/10 観	2021/3/12 観	2021/6/2 観	2021/9/2 観
ガス換孔1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔10	11.00	0.00	14.00	20.00	14.00	22.00	16.00	10.00	9.00	7.00	6.75	12.00	11.00	0.00	0.00	14.00	22.00	1.00	0.00	13.00	12.00	9.00	1.00	0.00	10.00	14.00	1.00	9.00	11.00	4.00	0.00	0.00	
ガス換孔11	2.75	0.00	15.00	16.00	18.00	22.00	15.00	12.00	12.00	15.00	0.00	12.00	0.00	0.00	0.00	17.00	22.00	12.00	0.00	12.00	11.00	11.00	0.00	0.00	10.00	12.00	7.00	7.00	11.00	7.00	0.00	1.45	
ガス換孔12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス換孔15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
砂利7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
10日間の観	4.0	82.0	79.5	86.5	4.0	9.5	44.5	23.5	54.5	12.0	97.0	8.5	129.5	24.5	55.0	15.5	3.5	19.5	5.5	13.0													

各観測地点におけるメタンガス濃度経年変化




各観測地点におけるメタンガス濃度経年変化




硫化水素の経年変化

日時	2017/7/29	2017/8/22	2017/8/29	2017/10/17	2017/12/15	2018/1/19	2018/2/16	2018/2/25	2018/4/18	2018/5/19	2018/6/1	2018/7/2	2018/8/3	2018/8/14	2018/10/11	2018/11/8	2018/12/14	2019/1/18	2019/2/15	2019/3/1	2019/4/15	2019/5/15	2019/6/12	2019/9/9	2019/12/4	2020/2/2	2020/4/10	2020/9/10	2020/12/10	2021/3/2	2021/6/2	2021/9/2	
ガス検孔1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス検孔2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ガス検孔3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ガス検孔4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ガス検孔5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ガス検孔6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ガス検孔7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ガス検孔8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ガス検孔9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ガス検孔10	0.00	0.00	1.00	0.00	0.00	0.00	1.00	1.00	0.00	0.00	1.40	0.00	0.00	0.00	0.00	5.00	4.70	0.00	0.00	2.70	2.60	4.20	2.50	0.00	1.80	3.00	2.80	0.00	1.80	0.00	0.00	0.00	
ガス検孔11	0.00	0.00	8.80	7.80	4.80	3.80	0.00	0.00	4.80	3.80	0.00	1.80	0.00	0.00	2.00	0.00	11.20	0.00	0.00	1.90	2.10	13.00	7.80	0.00	4.10	4.40	4.00	0.00	1.20	0.00	0.00	0.00	
ガス検孔12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
ガス検孔13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ガス検孔14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ガス検孔15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
砂利1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
砂利2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
砂利3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
砂利4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
砂利5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
砂利6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
砂利7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10日間雨量	4.00	82.00	79.80	94.99	4.00	9.00	44.50	23.90	84.90	12.00	97.00	6.00	120.60	28.90	99.00	15.60	3.00	79.90	0.00	20.00	47.90	46.00	20.00	47.90	46.00	20.00	20.00	0.00	97.00	0.00	30.00	29.0	

各観測地点の硫化水素ガス濃度経年変化



各観測地点の硫化水素ガス濃度経年変化



●廃棄物層内温度測定結果

	工事前	工事中	工事中	工事中	工事(中断)中	工事中	工事中	工事中	工事中
深度	2015/7/21	2015/8/18	2015/9/14	2015/10/15	2015/12/21	2016/3/17	2016/6/17	2016/9/23	2016/12/16
0.0m	29.4	29.8	25.2	23.6	17.4	21.9	25.3	33.3	15.6
1.0m	29.3	30.0	25.2	23.9	18.6	22.2	25.3	33.3	15.6
2.0m	29.3	30.0	25.2	23.9	18.6	22.2	25.3	33.4	15.6
3.0m	29.3	29.9	25.2	23.9	18.7	22.2	25.4	33.4	15.6
4.0m	29.3	29.9	25.2	23.9	18.8	22.2	25.4	33.3	15.6
4.5m	29.3	29.8	25.2	23.9	18.6	22.2	25.4	33.3	15.6

	工事中	工事中	工事後	工事後	工事後	工事後	工事後	工事後	工事後
深度	2017/3/17	2017/6/14	2017/12/15	2018/6/1	2018/12/14	2019/6/12	2019/9/9	2019/12/4	2020/3/2
0.0m	19.4	27.9	11.8	25.9	12.1	30.9	33.1	12.5	14.4
1.0m	19.2	27.9	11.5	25.9	13.1	30.9	33.1	12.4	14.6
2.0m	19.2	27.9	11.5	25.6	14.2	30.9	33.1	12.4	15.0
3.0m	19.4	28.0	11.5	25.6	15.2	30.9	33.1	12.7	16.0
4.0m	20.1	28.0	11.5	25.6	16.2	30.8	33.1	12.7	17.3
4.5m	20.1	28.0	11.5	25.6	16.5	30.8	33.1	12.9	18.3

	工事後	工事後	工事後	工事後	工事後	工事後
深度	2020/6/10	2020/9/10	2020/12/10	2021/3/2	2021/6/2	2021/9/2
0.0m	29.0	28.8	16.6	13.1	28.1	31.4
1.0m	27.8	28.7	16.8	13.3	27.4	30.9
2.0m	26.5	28.1	17.2	13.5	24.9	30.1
3.0m	25.6	27.3	19.1	14.8	23.7	29.9
4.0m	23.4	27.3	20.7	15.8	23.4	29.7
4.5m	21.9	27.3	20.7	16.2	23.2	29.7

